RAZ AP Shower Commode

FEATURES

Extensive range of options available

Flip-up padded arms

Exclusive to Raz, Ischial Pelvic Alignment System (IPAS), provides 2" (5 cm) of fore /aft or 1"(2.5cm) of lateral seat adjustment

Stainless steel frame with 4" (10 cm) of height adjustment

Tension-adjustable back upholstery

Adjustable back angle

Dual-locking (swivel and roll) casters

ALSO AVAILABLE

- Long frame - 3" (8cm) longer for tall patients
- Low frame - 4" lower seat-to-floor height
- 16" and 20" (40 and 51 cm) widths
- Recliner frame

SPECIFICATIONS	Raz-AP (Attendant Propelled)
WEIGHT CAPACITY	350 lbs (158 kg)
FRAME WIDTH (seat and back frame)	18" (46 cm)
OVERALL WIDTH (with standard armpad)	22.5" (57 cm)
OVERALL LENGTH (with footrest)	33.75" (86 cm)
SEAT WIDTH (commode seat)	18" (46 cm)
SEAT DEPTH (front of back post to front of seat)	16" or 19" (40 or 48 cm)
CLEARANCE HEIGHT UNDER SEAT	15.5" - 19.5" (39 – 50 cm) with pan brackets 16.25" - 20.25" (41 - 51 cm) without pan bracket
ARMREST HEIGHT ABOVE SEAT (17" Adjusta-Back)	6.5" - 9.5" in ½" increments (17 - 24 cm)
SEAT-TO-FLOOR HEIGHT	20" - 24" in 1" increments (51 - 61 cm)
PRODUCT WEIGHT (with footrests)	38 lbs (17.25 kg)
FRAME AND HARDWARE MATERIAL	Stainless Steel (Lifetime warranty against corrosion)

All measurements taken with standard molded seat and standard arm pad.

Two-year limited warranty covers the frame against manufacturing defects. A one-year limited warranty covers all other components, subject to normal wear and tear exclusions.

Specifications, and options are subject to change without prior notice.

866.212.2955

RAZ AT Shower Commode

FEATURES

ALSO AVAILABLE

- 16" and 20" (40 cm and 51 cm) widths available
- Recline Module
- Shown with optional Laterals and H-Strap

SPECIFICATIONS	Raz-AT (Attendant Tilt)
WEIGHT CAPACITY	350 lbs (160 kg)
FRAME WIDTH (seat and back frame)	Standard: 18" (46 cm)
OVERALL WIDTH (with standard armpad)	22.5" (57 cm) with Standard Arm Pad
OVERALL LENG5H (with lenght (with footrests)	39" (99 cm)
SEAT WIDTH (commode seat)	18" (46 cm)
SEAT DEPTH (front of back post to front of seat).	16" or 19" (40 or 48 cm)
CLEARANCE HEIGHT UNDER SEAT	17" - 21" (43 - 53cm) with pan brackets 17.75" - 21.75" in 1" increments (45 - 55 cm)
ARMREST HEIGHT ABOVE SEAT (20" Adjusta-Back).	7.5"- 10.5" in !" increments (19 - 27 cm)
SEAT-TO-FLOOR HEIGHT	21.25" – 25.25" in 1" increments (54 - 64 cm)
PRODUCT WEIGHT	61 lbs (28 kg)
FRAME AND HARDWARE MATERIAL.	StainlessSteel (Lifetime warranty against corrosion)

All measurements taken with standard molded seat and standard arm pad.

Two-year limited warranty covers the frame against manufacturing defects. A one-year limited warranty covers all other components, subject to normal wear and tear exclusions.

Specifications, and options are subject to change without prior notice.

R2R

866.212.2955

RAZ -AP600 Shower Commode Chair

FEATURES

Extensive range of options available

23"W (58 cm) x 18"D (46 cm) contoured, molded seat

Exclusive to Raz, Ischial Pelvic Aligment System (IPAS), provides 2" (5 cm) of fore/aft or 1" (2.5 cm) of lateral seat adjustment

22"W (56 cm) stainless steel frame with 4" (10cm) of height adjustment

Adjustable, heavy-duty footrests

Tension-adjustable back upholstery

Flip-up padded armrest

Adjustable back angle

Backrest assembly adjusts fore/aft for seat depth change and center-of-mass adjustment

Frame designed for side access

Dual-locking (swivel and roll) casters

SPECIFICATIONS	Raz-AP600 (Attendant Propelled 600 lbs capacity)
WEIGHT CAPACITY	600 lbs (275 kg)
SEAT WIDTH (seat and back frame)	22" (56 cm) - 30" (76 cm)
OVERALL WIDTH (with standard armpad)	26.5" (67 cm) with Standard Arm Pad
SEAT WIDTH (commode seat)	23" (58 cm)
SEAT DEPTH (front of back post to front of seat)	18" (46 cm)
OVERALL LENGTH With Z709 Footrests	36" – 39" (91 cm – 99 cm)
CLEARANCE HEIGHT UNDER SEAT	5" (125 mm) casters w/ pan brackets: 14.25" - 18.25" (36 - 46 cm) 5" (125 mm) casters w/o pan brackets: 15" - 19" (38 - 48 cm) 6" (150 mm) casters w/ pan brackets: 15.25" - 19.25" (39 - 49 cm) 6" (150 mm) casters without pan brackets: 16" - 20" (41 - 51 cm)
ARMREST HEIGHT ABOVE SEAT	9.5" (24 cm)
SEAT-TO-FLOOR HEIGHT	19" - 23" in 1" increments (48 - 58 cm)
PRODUCT WEIGHT	5" (125 mm) casters: 54.5 lbs (25 kg) 6" (150 mm) casters: 56.5 lbs (26.7 kg)
FRAME AND HARDWARE MATERIAL	Stainless Steel (Lifetime warranty against corrosion)
All measurements taken with standard molded seat and standard arm pad.	

Two-year limited warranty covers the frame against manufacturing defects. A one-year limited warranty all other components, subject to normal wear and tear exclusions.

Specifications, and options are subject to change without prior notice.

866.212.2955

Raz - AT600 Shower Commode

FEATURES

Extensive range of options available

23"W (58 cm) x 18"D (46 cm) contoured, molded seat

Exclusive to Raz, Ischial Pelvic Aligment System (IPAS), provides 2" (5 cm) of fore/aft or 1" (2.5 cm) of lateral seat adjustment

22"W (56 cm) stainless steel frame with 4" (10 cm) of height adjustment

Adjustable heavy-duty footrests

Dual-locking (swivel and roll) 6" (150 mm) casters

Tension-adjustable back upholstery

Flip-up arms

Adjustable back angle

Backrest assembly adjusts fore/aft for seat depth change and center-of-mass adjustment

25° of tilt

SPECIFICATIONS	Raz-AT600 (Attendant Tilt 600 lbs capacity)
WEIGHT CAPACITY	600 lbs (275 kg)
FRAME WIDTH (seat and back frame)	22" (56 cm)
SEAT WIDTH (commode seat)	22" - 30" (56 cm - 76 cm)
SEAT DEPTH (front of back post to front of seat)	18" (46 cm)
OVERALL WIDTH (with standard armpad)	Seat frame width + 4.5" (11 cm)
OVERALL LENGTH With Z709 Footrests	38" – 39" (96 – 99 cm)
CLEARANCE HEIGHT UNDER SEAT	with pan brackets: 18" – 19" (43 – 48.5 cm) without pan brackets: 18.75" – 19.75" (47.5 – 50 cm)
ARMREST HEIGHT ABOVE SEAT	9.5" (24 cm)
SEAT-TO-FLOOR HEIGHT	21.75" and 22.75" (55 cm and 58 cm)
PRODUCT WEIGHT	5" casters: 82 lbs (37 kg) 6" casters: 84 lbs (38 kg)
FRAME AND HARDWARE MATERIAL	Stainless Steel (Lifetime warranty against corrosion)

All measurements taken with standard molded seat and standard arm pad.

Two-year limited warranty covers the frame against manufacturing defects. A one-year limited warranty covers all other components, subject to normal wear and tear exclusions.

Specifications, and options are subject to change without prior notice.

866.212.2955